

included.

LCD control panel

Reports on failures and troubleshooting procedures.

Maintenance alerts:

- Please empty the dust container
- Please clean the filter
- Please replace the filter

Alarm signals:

• Dirty filter or clogged installation – a thermal switch-off automatically stops the device, preventing it from overheating and engine damage

Large, removable dust

container.

- If the central unit has been accidentally switched on more than 7 times within one minute, it will be automatically switched off
- If a preset working time has been exceeded, the device will be automatically switched off (default setting is 45 minutes, it can be modified and customized)



Wireless control

a remote on/off switch located on the hose handle



Extremely lightweight vacuum hose

no wires embedded in the hose, **40% lighter** than standard hoses



VACUUMING HAS NEVER BEEN SO EASY!

INTELLIGENCE VACUUM CLEANING SYSTEM MAIN ADVANTAGES



Fast and easy assembly. Does not require electrical connections and low voltage wire (neither in tubing nor in suction sockets).

Soft Start system – enhances efficiency and increases engine service life.

Central unit and hose compatible with a standard, already existing installation.

The highest quality and Italian design of the power unit, hose and Brava handle.

Comfortable solutions - easy appliance assembly and disassembly.

Environmentally friendly and economical – low energy consumption, in a stand-by mode consumes only 1 Watt.

High degree of protection (IP55) enables to install the central unit outdoors provided some requirements have been met.

Dual System Filtration

- The latest generation Dual System Filtration
- Cyclone combined with HEPA filter with double increased filtration surface improve working parameters and engine protection.

Customized parameters and user-friendly menu, which includes maintenance reports and alerts:

- filter cleaning
- emptying the dust container
- continuous working time with alarm

Reports on failures and troubleshooting procedures

- Maintenance alerts
- Alarm signals

Equipped with an integrated silencer, which provides an extremely silent operation of the appliance (only 61 dB).

Additionally, you can get FOR FREE:

- Replacement filter using one filter, you can clean easily the other one with a central vacuum system
- dust collection bag

Clean and fresh air. Dust is sucked in and then expelled outside the building.


The system eliminates allergens, bacteria and mites. Perfect solution for allergy sufferers.




INTELLIGENCE CLEANING ACCESSORIES







Two suction ports make cleaning effective. Recommended for corners, angles, edges or inaccessible places. A must-have for every central vacuum system.



Telescopic wand. Equipped with a "SlideMOVE" ergonomic clamp. Antistatic coating.
Adjustment range: 60 – 96 cm.



Functional accessories holder

to be fixed on the wall or inside the wardrobe.

For your comfort

Advantages:

- >> fast and easy assembly
- >> installation without control wires
- >> saving time and money
- >> fit for purpose
- >> suction power and silent operation
- >> easy to handle
- >> quality and safety
- >> fully manufactured in the EU





Guaranteed quality – GDA, a worldwide recognized Italian manufacturer with outstanding 45-year experience and a number of patents and certificates.



Manufacturer 5-year warranty for the vacuum central unit. Excellent quality and user satisfaction.



UST-M 20-year warranty for PVC pipes and fittings.



The system is compatible with other cleaning sets available on the market and a traditional (wired) central vacuum installation.

Series	Intelligence 300	Intelligence 700
Model	Wi1250	Wi1450
Max. surface [m²]	300	700
Installation length [m]	63	161
Max. number of suction sockets	9	23
Electronic control panel	YES	
Integrated Wireless System	YES	
Integrated silencer	YES	
Possibility to change the connection side	YES	
Soft-start	YES	
Nominal power [W]	1250	1450
Frequency [Hz]	50/60	
Fuse [A]	8	10
Power supply AC [V]	220/230	
Power supply DC [V]	5	
Socket alimentation [m³/h]	230	179
Suction pressure [bar]	- 0,28	- 0,39
Filter Surface [cm²]	8500	
Suction power [air watt]	556	615
Dust bag capacity [l]	18	
Air input/output [mm]	50	
Sound level [dB]	61	67
Stand-by mode power consumption [W]	1	
Filter material	Polyester	
Height [mm]	940	1041
Diameter [mm]	300	300



Intelligence 300

Intelligence 700



Distributor: UST-M Sp. z o.o., ul. Piaskowa 124A; 97-200 Tomaszow Mazowiecki, Poland, **www.ustm.pl FOREIGN TRADE DEPARTMENT:**

Helena Kocik +48 507 051 485; export@ustm.pl Natalia Staruch +48 517 595 777; trade@ustm.pl

Manufacturer: GENERAL D'ASPIRAZIONE s.a.s., Via del Lavoro, 9/11 - 47030 S. Mauro pascoli (FC) Italy, info@generaldaspirazione.com





